

SECRET
U.S. GOVERNMENT PRINTING OFFICE: 1964
O - 350-000

GAMING DEVICE HAVING A BONUS SCHEME INCLUDING A PLURALITY OF SELECTION GROUPS WITH WIN-GROUP OUTCOMES

PAULINA GLAVICH
JOSEPH E. KAMINIKOW

Prepared by:
Bell, Boyd & Lloyd LLC
70 West Madison Street
Suite 3300
Chicago, Illinois 60602
(312) 372-1121
Our File No.: 0112300-473

**GAMING DEVICE HAVING A BONUS SCHEME INCLUDING
A PLURALITY OF SELECTION GROUPS WITH
WIN-GROUP OUTCOMES**

5

PRIORITY CLAIM

This application claims priority of and is a continuation-in-part application of U.S. Patent Application, Serial No. 09/656,702, filed on September 7, 2000, entitled "GAMING DEVICE HAVING A BONUS SCHEME WITH MULTIPLE SELECTION GROUPS."

10

COPYRIGHT NOTICE

A portion of the disclosure of this patent document contains or may contain material which is subject to copyright protection. The copyright owner has no objection to the photocopy reproduction by anyone of the patent document or the patent disclosure in exactly the form it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

15

DESCRIPTION

20

The present invention relates in general to a gaming device, and more particularly to a gaming device including a plurality of selection groups with win-group outcomes.

BACKGROUND OF THE INVENTION

25

Current gaming machines, such as slot machines, video poker machines, video blackjack machines and video keno machines, have bonus

schemes wherein players are able to receive various awards associated with various events in a bonus game. For example, a player may receive a relatively high bonus value for selecting a certain symbol and a relatively low bonus value for selecting another symbol. The gaming device processor
5 generates the outcomes for the player, such as bonus value outcomes and game termination outcomes

There are no known gaming devices which include a bonus scheme having a plurality of selection groups with win-group outcomes which provide a player with a plurality of bonus values in a group after a player selects a
10 predetermined symbol in that group, which enables a player to only select one symbol in each group, which includes terminators in one or more of the groups, and wherein the player advances from group to group to gain bonus values and obtain an additional or supplemental award for advancing through each group without selecting a terminator. To increase player enjoyment and
15 excitement, it is desirable to provide players with gaming devices having new bonus schemes.

SUMMARY OF THE INVENTION

One embodiment of the gaming device of the present invention provides a bonus game including a plurality of groups of symbols displayed to a player. Each group of symbols includes a plurality of selectable symbols or selections.

- 5 Predetermined or preferably randomly determined outcomes are associated with each of the selectable symbols. In one embodiment, the gaming device processor operates in accordance with a predetermined program to generate predetermined outcomes and associate the outcomes with the symbols either at the beginning of the bonus game or each time a player selects a symbol.

- 10 The potential outcomes associated with the symbols in one preferred embodiment include bonus value outcomes, group-win outcomes and termination outcomes. On one preferred embodiment, the player is only allowed to pick one symbol in each group. If a player picks a symbol in a group having a bonus value outcome, the gaming device provides the player
- 15 with a predetermined bonus value of that outcome and preferably displays this bonus value to the player in place of the selected symbol. The win-group outcome corresponds to or is associated with a plurality of the bonus value outcomes. In one embodiment, the bonus value outcomes which correspond to the win-group outcome are all associated with symbols in the same group.
- 20 Thus, if a player picks a symbol having a win-group outcome in a particular group, the gaming device provides the player with a plurality of the bonus values outcomes associated with the win-group outcome. For example, a group may have five symbols including four value outcomes and one win-group outcome. If the player picks the symbol associated with the win-group

outcome, the gaming device may provide the player with the four values associated with the other symbols.

In one embodiment, the win-group outcome in a group is associated with all of the bonus value outcomes in that group. As such, when a player reaches a win-group outcome, the player receives all of the bonus values resulting from all of the bonus value outcomes in that group. Here, the win-group outcome functions as a win-all outcome, awarding a player with all of the bonus values available in a group. In the previous example, in this embodiment when the player chose the symbol associated with the win-group outcome, the gaming device provides the player with all four of the values associated with the symbols.

It should be understood that the win-group outcome is associated with a plurality of bonus value outcomes which are available to the player. In one alternative embodiment where the player may select more than one symbol in a group, after a player has picked a symbol and received the associated bonus value, the gaming device again makes this bonus value available to the player if the player picks a symbol in that group which is associated with a win-group outcome. In another alternative of this embodiment, once a player picks a symbol associated with a bonus value, the gaming device makes this bonus value unavailable to the player even if the player later picks a symbol in that group which is associated with a win-group outcome. In this embodiment, the win-group outcome functions as a win-remaining outcome because the player only receives values associated with symbols which the player has not already picked.

In the preferred embodiment where the player can make only one selection in each group, when a player reaches a win-group outcome, the processor requires the player to make his/her next selection from a different selection group. This process continues until the player advances through the groups while avoiding termination outcomes. In the preferred embodiment, if the player advances through the last group, the player receives a predetermined or randomly determined additional or supplemental bonus award or achievement bonus value. The bonus game terminates when the player picks a symbol with a terminating condition in any group or if the player receives the achievement bonus value. In one preferred embodiment, the achievement bonus value is relatively higher than any bonus value generated in the selection groups and also higher than the combined bonus values associated with the win-group outcomes.

In another embodiment of the present, the bonus scheme includes one or more separate move outcomes associated with the symbols in each group. If at any time a player obtains a move outcome in one group, the processor requires the player to make his/her next selection from a different group. In this embodiment, every group does not have to have a win-group outcome or a termination outcome associated with a selectable symbol in that group. This alternative embodiment can also include move outcomes which require the player to revisit certain selection groups. For example, a player may advance to a predetermined group, select a symbol and receive a downward move outcome in that group. The player could then be required to make his/her next

selection from a predetermined selection group located below the selected symbol's group.

In one further alternative embodiment of the present invention, the bonus scheme includes win-group outcomes which do not advance the player to different groups. Here, when a win-group outcome occurs, the player receives all of the bonus values in the selected symbol's group and the bonus game then terminates. In another alternative embodiment of the present invention, the processor does not reveal bonus values during the bonus game until the player reaches a win-group outcome or a termination outcome.

In another alternative embodiment, the present invention does not include a termination outcome associated with any of the selectable symbols in the selection groups. In this embodiment, the bonus game terminates when a predetermined termination condition occurs, such as the player making a predetermined number of selections of symbols or the player winning a predetermined bonus value amount.

It should be appreciated that when a player reaches a win-group outcome, the processor does not have to display a win-group symbol. Instead, the processor can merely display the various bonus values associated with the win-group outcome. Accordingly, it should be understood that it is preferable, though not necessary, that all of the various outcomes are indicated by various predetermined outcome symbols.

In one embodiment, outcome symbols are used to indicate all of the outcomes. Here, the gaming device's memory stores a plurality of bonus values, win-group symbols and termination symbols. The processor uses a

predetermined program to associate the bonus values, the win-group symbols and the termination symbols with the selectable symbols. When the player selects a symbol, the processor reveals, unmask or otherwise displays the outcome symbol which is associated with the selected symbol.

5 The gaming device of the present invention, in one embodiment, includes a bonus game which presents a plurality of award groups or selection groups to a player. Bonus value outcomes, group-win outcomes and termination outcomes are associated with the selectable symbols. The processor enables the player to select one symbol in each of the groups, and
10 depending upon which symbol the player selects, the player may reach a bonus value outcome, a win-group outcome or a termination outcome. The player can accumulate bonus values by reaching bonus value outcomes and win-group outcomes while avoiding termination outcomes. When the player reaches a win-group outcome in a group, the player obtains all of the bonus
15 values generated in that group, and the processor requires the player to make his/her next selection from a different group. The player is provided a achievement award if the player does not select any symbols in any group having a termination outcome. This type of gaming device increases the excitement and enjoyment experienced by gaming device players.

20 It is therefore an advantage of the present invention is to provide a gaming device having a bonus scheme including a plurality of selection groups with win-group outcomes and additional bonus values.

 Another advantage of the present invention is to provide a gaming device with a bonus game which enables a player to pick symbols from

different selection groups with the possibility of reaching an outcome which provides the player with all of the bonus values available in that group.

Other objects, features and advantages of the invention will be apparent from the following detailed disclosure, taken in conjunction with the accompanying sheets of drawings, or in like numerals referred to like parts,
5 elements, components, steps and processes.

0994094 40404

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1A is a perspective view of one embodiment of the gaming device of the present invention.

Fig. 1B is a perspective view of another embodiment of the gaming device of the present invention.

Fig. 2 is a schematic block diagram of the electronic configuration of one embodiment of the gaming device of the present invention.

Fig. 3 is a top plan view of the selection groups in one embodiment of the bonus scheme of the present invention.

Figs. 3A to 3D are top plan views of the selection groups in one preferred embodiment of the bonus scheme of the present invention.

Fig. 4 is a flow diagram of one alternative embodiment of the present invention.

Figs. 5 to 11 are top plan views of the selection groups in example bonus games in one alternative embodiment of the present invention.

Fig. 12 is a top plan view of the selection groups in one example of one alternative embodiment of the bonus scheme of the present invention.

Figs. 13A to 13C are top plan views of various selection group formations in various embodiments of the bonus scheme of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

Gaming Device and Electronics

5

Referring now to the drawings, two embodiments of the gaming device of the present invention are illustrated in Figs. 1A and 1B as gaming device 10a and gaming device 10b, respectively. Gaming device 10a and/or gaming device 10b are generally referred to herein as gaming device 10. Gaming device 10 is in one embodiment a slot machine having the controls, displays and features of a conventional slot machine. It is constructed so that a player can operate it while standing or sitting, and gaming device 10 is preferably mounted on or in a console or cabinet. However, it should be appreciated that gaming device 10 can be constructed as a pub-style table-top game (not shown) which a player can operate preferably while sitting. Furthermore, gaming device 10 can be constructed with varying cabinet and display designs, as illustrated by the designs shown in Figs. 1A and 1B. Gaming device 10 can also be implemented as a program code stored in a detachable cartridge for operating a hand-held video game device. Also, gaming device 10 can be implemented as a program code stored on a disk or other memory device which a player can use in a desktop or laptop personal computer or other computerized platform.

Gaming device 10 can incorporate any primary game such as slot, poker, blackjack or keno, any of their bonus triggering events and any of their

bonus games. The symbols and indicia used on and in gaming device 10 may be in mechanical, electrical or video form.

As illustrated in Figs. 1A and 1B, gaming device 10 includes a coin slot 12 and bill acceptor 14 where the player inserts money, coins or tokens. The player can place coins in the coin slot 12 or paper money or ticket vouchers in the bill acceptor 14. Other devices could be used for accepting payment such as readers or validators for credit cards or debit cards. When a player inserts money in gaming device 10, a number of credits corresponding to the amount deposited is shown in a credit display 16. After depositing the appropriate amount of money, a player can begin the game by pulling arm 18 or pushing play button 20. Play button 20 can be any play activator used by the player which starts any game or sequence of events in the gaming device.

As shown in Figs. 1A and 1B, gaming device 10 also includes a bet display 22 and a bet one button 24. The player places a bet by pushing the bet one button 24. The player can increase the bet by one credit each time the player pushes the bet one button 24. When the player pushes the bet one button 24, the number of credits shown in the credit display 16 decreases by one, and the number of credits shown in the bet display 22 increases by one. The gaming device can also include a conventional bet max button (not shown).

A player may "cash out" and thereby receive a number of coins corresponding to the number of remaining credits by pushing a cash out button 26. When the player "cashes out," the player receives the coins in a coin payout tray 28. The gaming device 10 may employ other payout mechanisms

such as credit slips redeemable by a cashier or electronically recordable cards which keep track of the player's credits.

Gaming device 10 also includes one or more display devices. The embodiment shown in Fig. 1A includes a central display device 30, and the
5 alternative embodiment shown in Fig. 1B includes a central display device 30 as well as an upper display device 32. Gaming device 10 may display a plurality of reels 34, preferably three to five reels 34 in mechanical or video form at one or more of the display devices. However, it should be appreciated that the display devices can display any visual representation or exhibition,
10 including but not limited to movement of physical objects such as mechanical reels and wheels, dynamic lighting and video images. A display device can be any viewing surface such as glass, a video monitor or screen, a liquid crystal display or any other display mechanism. If the reels 34 are in video form, the display device for the video reels 34 is preferably a video monitor.

15 Each reel 34 displays a plurality of indicia or symbols such as bells, hearts, fruits, numbers, letters, bars or other images which preferably correspond to a theme associated with the gaming device 10. Furthermore, gaming device 10 preferably includes speakers 36 for making sounds or playing music.

20 As illustrated in Fig. 2, the general electronic configuration of gaming device 10 preferably includes: a processor 38; a memory device 40 for storing program code or other data; a central display device 30; an upper display device 32; a sound card 42; a plurality of speakers 36; and one or more input devices 44. The processor 38 is preferably a microprocessor or

microcontroller-based platform which is capable of displaying images, symbols and other indicia such as images of people, characters, places, things and faces of cards. The memory device 40 can include random access memory (RAM) 46 for storing event data or other data generated or used during a particular game. The memory device 40 can also include read only memory (ROM) 48 for storing program code which controls the gaming device 10 so that it plays a particular game in accordance with applicable game rules and pay tables.

As illustrated in Fig. 2, the player preferably uses the input devices 44, such as pull arm 18, play button 20, the bet one button 24 and the cash out button 26 to input signals into gaming device 10. In certain instances it is preferable to use a touch screen 50 and an associated touch screen controller 52 instead of a conventional video monitor display device. Touch screen 50 and touch screen controller 52 are connected to a video controller 54 and processor 38. A player can make decisions and input signals into the gaming device 10 by touching touch screen 50 at the appropriate places. As further illustrated in Fig. 2, the processor 38 can be connected to coin slot 12 or bill acceptor 14. The processor 38 can be programmed to require a player to deposit a certain amount of money in order to start the game.

It should be appreciated that although a processor 38 and memory device 40 are preferable implementations of the present invention, the present invention can also be implemented using one or more application-specific integrated circuits (ASIC's) or other hard-wired devices, or using mechanical devices (collectively referred to herein as a "processor"). The processor may

include a sub-processor for controlling certain functions of the gaming device. Furthermore, although the processor 38 and memory device 40 preferably reside on each gaming device 10 unit, it is possible to provide some or all of their functions at a central location such as a network server for communication to a playing station such as over a local area network (LAN), wide area network (WAN), Internet connection, microwave link, and the like. The processor 38 and memory device 40 is generally referred to herein as the "computer" or "controller."

With reference to Figs. 1A, 1B and 2, to operate the gaming device 10 in one embodiment the player must insert the appropriate amount of money or tokens at coin slot 12 or bill acceptor 14 and then pull the arm 18 or push the play button 20. The reels 34 will then begin to spin. Eventually, the reels 34 will come to a stop. As long as the player has credits remaining, the player can spin the reels 34 again. Depending upon where the reels 34 stop, the player may or may not win additional credits.

In addition to winning credits in this manner, preferably gaming device 10 also gives players the opportunity to win credits in a bonus round. This type of gaming device 10 will include a program which will automatically begin a bonus round when the player has achieved a qualifying condition in the game. This qualifying condition can be a particular arrangement of indicia on a display device. The gaming device 10 preferably uses a video-based central display device 30 to enable the player to play the bonus round. Preferably, the qualifying condition is a predetermined combination of indicia appearing on a plurality of reels 34. As illustrated in the five reel slot game shown in Figs. 1A

and 1B, the qualifying condition could be the number seven appearing on three adjacent reels 34 along a payline 56. It should be appreciated that the present invention can include one or more paylines, such as payline 56, wherein the paylines can be horizontal, diagonal or any combination thereof.

Bonus Scheme

With reference to Fig. 3, in one embodiment of the gaming device of the present invention, the bonus scheme includes: (a) a plurality of selection groups 100a to 100e; (b) a plurality of selectable symbols (indicated by the capital letter "S") in each of the selection groups; (c) various bonus value outcomes associated with various symbols; (d) one or more termination outcomes associated with the symbols in each group; (e) one or more win-group outcomes associated with the symbols in each group; and (f) an achievement bonus value 102.

One preferred embodiment of the present invention is illustrated in Figs. 3A to 3D. The gaming device of this embodiment enables the player to select one choice or selection in each of the groups 100a to 100e. If the player selects a selection in each group without obtaining or selecting a terminator or a selection having a terminator associated therewith, the processor provides the achievement bonus value 102 to the player.

In one example game of this embodiment, as illustrated in Fig. 3A, the player's first choice in the first symbol group 100a is indicated by the blocked selection and is a win group outcome 128a. The win group outcome 128a provides all of the other bonus values in the group 100a to the player. Accordingly, the player obtains bonus value 130a which is 50, bonus value 130b which is 20, bonus value 130c which is 300 and bonus value 130d which is 80. Preferably, the game reveals all of these bonus values to the player as well as the terminator symbol 116b which is associated with the remaining

selection in selection group 100a. The processor then enables the player to select one of the choices or selections in selection group 100b. The player selects the selection indicated by the block in Fig. 3B. The processor then reveals the bonus value 130e associated with the picked selection which is 5 250 and provides this bonus value to the player. The processor does not enable or allow the player to pick any of the other selections in selection group 100b. This process continues until the player picks a selection in one of the groups having an associated terminator or a selection in each of the groups. If the player picks a selection in each of the groups without obtaining a 10 terminator, as indicated above, the processor provides the achievement bonus value 102 to the player.

This result is further illustrated in Fig. 3d which illustrates a continuation of the example game of Figs. 3A, 3B and 3C. After revealing the bonus value 130e which is 250 to the player, the game reveals the other bonus values 15 130h, 130g and 130f as well as the win group outcome 128b and the terminator outcome 116c in group 100b. The processor then enables the player to select one of the selections in group 100c. The player selects the selection which is associated with the win group outcome 128c. The processor provides the bonus awards 130i 130j, 130k and 130l to the player 20 and reveals the terminator symbol 116d. The gaming device then enables the player to select one of the selections in group 100d. The player selects the blocked selection and the processor provides the bonus value 130o which is 5 to the player and reveals the bonus values 130m, 130m, the win group outcome 120d and the terminator symbol 116e associated with the other

selections of group 100d. The processor then enables the player to select one of the selections in group 100e. The player selects the blocked selection having the bonus value 130r which is 25 associated therewith and the processor provides that award to the player. The processor also reveals the
5 bonus value 130p, bonus value 130q, the terminator symbol 116f and the win group symbol 128e associated with the other selections in group 100e. Because the player selected a selection in each group without picking a selection which has an associated terminator, the processor reveals the achievement bonus award which is 1000 and provides that award to the
10 player.

It should be appreciated that in the embodiment illustrated in Figs. 3A to 3D only one terminator is associated with only one selection in each group. The chance of picking a terminator in groups 100a, 100b and 100c are 1 in 6. The chance of picking a terminator in groups 100d and 100e increase to 1 in 5.
15 It should be appreciated that the number of terminator symbols associated with the selections in the groups may increase or change as desired by the game implementor. This will make it more difficult for the player to obtain the achievement bonus value. In one preferred embodiment, the number of terminating symbols associated with each group increases or the likelihood of
20 obtaining a terminating symbol in each group increases. Accordingly, one embodiment of the present invention combines a plurality of selection groups which include a plurality of awards associated with the selections in the group, a plurality of terminator symbols associated with the selections in the groups, a win group outcome associated with the selections in the groups and an

achievement bonus value associated with picking one selection in each group without obtaining a terminator.

A further embodiment of the present invention is illustrated in Figs. 4 to 11. In this embodiment, first a bonus triggering event occurs as indicated by block 104. As indicated by block 106, the player then selects a symbol 110 in group 100a. The selection of symbols is emphasized in the figures by bolding the borders which surround the selected symbols. After the player's selection of symbol 110, the outcome associated with symbol 110 occurs, as indicated by block 108. Preferably, the processor dynamically generates the outcomes and associates them with symbols when the bonus triggering event occurs or following the player's selections.

In any case, if a termination outcome is associated with the selected symbol 110, the bonus game terminates, as indicated by diamond 112 and block 114. Preferably, the gaming device indicates the termination outcome to the player with a terminator symbol 116a, as illustrated in Fig. 6. It should be appreciated that a consolation award could be provided to the player in association with a termination outcome. If a bonus value outcome is associated with the selected symbol 110, the processor provides the player with a predetermined bonus value, as indicated by diamond 118 and block 120. As illustrated in Fig. 7, preferably the gaming device indicates the bonus value outcome to the player with a bonus value 122 which is a numeral representative of a predetermined amount of bonus value credits. The processor then enables the player to select another symbol in the same group 100a until the player reaches a termination outcome or a win-group outcome.

If a win-group outcome is associated with a symbol selected by the player, the processor provides the player with the bonus value outcomes associated with the win-group outcome, as indicated by block 124 and block 126. Preferably, the bonus value outcomes which are associated with the win-group outcome include all of the bonus value outcomes in the selected symbol's group. It is also preferable that the gaming device indicates the win-group outcome to the player with a win-group symbol 128a, as illustrated in Fig. 8. In addition, it is preferable that the gaming device indicates the associated bonus value outcomes with bonus values 130a to 130d.

With reference to Figs. 4, 9 and 10, at this point the processor advances or moves the player up to selection group 100b where the player can select a symbol 132 in that group, as indicated by block 134. In this example, the predetermined order in which the player can advance through selection groups is from bottom to top, as indicated by the arrows located to the left of the selection groups. An outcome occurs, such as a bonus value outcome indicated by bonus value 130e, and the entire selection process then repeats itself.

With reference to Fig. 11, as long as the player reaches the win-group outcomes (indicated by win-group symbols 128b to 128e) while avoiding the termination outcomes (indicated by terminator symbols 116c to 116f), the player will receive all of the bonus values 130a to 130r in all of the groups 100a to 100e. As indicated by diamond 136 and block 138 in Fig. 4, when the player reaches a win-group outcome in the last group without reaching a termination outcome, the player also receives the achievement bonus value

102. Achievement bonus value 102 is exemplified in Fig. 11 with a bonus credit amount of one thousand credits. The bonus game terminates when the player receives the achievement bonus value.

It should be appreciated that when a player obtains a win-group outcome, in various embodiments the gaming device may provide various values associated with various symbols in a group. In one example, as illustrated in Figs. 5 and 8, a player may pick symbol 110 and receive a win-group outcome associated with symbol 110. The gaming device may reveal values 130a to 130d and provide these values to the player. Alternatively, the gaming device may reveal values 130a to 130c and only provide these values to the player. It should also be appreciated that instead of displaying win-group symbol 128a, the gaming device may reveal a value in place of symbol 110. The gaming device may provide this value to the player along with all other values associated with the win-group outcome.

In another example, a player may select the far left symbol in group 100a and receive value 130a. The player may then select the second symbol from the left in group 100a and receive value 130b. When the player selects symbol 110 and obtains the win-group outcome, the gaming device may provide the player only with values 130c and 130d, or the gaming device may provide the player with values 130a and 130b again, in addition to values 130c and 130d.

In another embodiment of the present invention illustrated in Fig. 12, the bonus scheme includes: (a) a plurality of selection groups 140a to 140e; (b) a plurality of selectable symbols (indicated by the capital letter "S") in each of the

groups; (c) various bonus value outcomes associated with various symbols; (d) one or more termination outcomes associated with the symbols in each group; (e) one or more win-group outcomes associated with the symbols in each group; (f) one or more separate move outcomes associated with the symbols in each group; and (g) an achievement bonus value 142. If at any time a player reaches a move outcome in one group, the processor requires the player to make his/her next selection from a different group.

In an example bonus game of this embodiment, Fig. 12 illustrates various bonus values 144, terminator symbols 146, win-group symbols 148 and move symbols 150. In this example, the player can advance in a sequential group order from bottom to top, as indicated by the upwardly pointing arrow located to the left of the selection groups. The player initially selects a symbol (not shown) in group 140a, and the processor generates a move outcome and displays move symbol 150a in place of the selected symbol. The player receives no bonus values, and the processor requires the player to select his/her next symbol (not shown) from group 140b. The processor generates a bonus value outcome and displays bonus value 144a in place of the selected symbol. The player then receives the bonus value 144a of seventy credits. The player then selects another symbol (not shown) in group 140b, and the processor generates a move outcome and displays the move symbol 150b in place of the selected symbol. The processor requires the player to select his/her next symbol (not shown) in group 140c, resulting in a move outcome. The move outcome is indicated by move symbol 150c which replaces the selected symbol.

The processor enables the player to select his/her next symbol (not shown) in group 140d. This selection results in a win-group outcome which is indicated by win-group symbol 148a in place of the selected symbol. The player then receives all of the bonus values in group 140d. Next, the processor enables the player to select a symbol (not shown) in group 140e. The player's selection results in a termination outcome which is indicated by terminator symbol 146a displayed in place of the selected symbol. The bonus game then terminates and the player receives a payout equal to all of the bonus values gained.

It should be appreciated that in this embodiment, every group does not have to have a win-group outcome or a termination outcome associated with a selectable symbol in that group. For example, group 140c does not include any win-group outcomes or termination outcomes associated with any symbols in that group. This embodiment can also include move outcomes which require the player to revisit certain selection groups. For example, a player may advance to a predetermined group, select a symbol and receive a downward move outcome in that group. This type of move outcome could be indicated by a downwardly pointing move symbol (not shown). The player could then be required to make his/her next selection from a predetermined selection group located below the selected symbol's group.

It should be appreciated that the selection groups in the present invention can have any form, shape or configuration, as illustrated in Figs. 13A to 13C. Also, the predetermined order in which a player moves from group to group can vary as illustrated by the upwardly pointing arrow in Fig. 13A and

the left to right pointing arrow in Fig. 13B. The move order can be sequential, non-sequential, orderly or disorderly. Further, it should be appreciated that the symbols shown in the figures herein are provided merely for illustrative purposes. The gaming device of the present invention can include or display
5 any type of symbol or graphical image to represent selectable symbols, bonus values, win-group symbols, terminator symbols or move symbols.

In one alternative embodiment of the present invention, the bonus scheme includes win-group outcomes which do not advance the player to different groups. Here, when a player reaches a win-group outcome, the
10 player receives all of the bonus values in the selected symbol's group, and the bonus game then terminates. In another alternative embodiment of the present invention, the processor does not reveal bonus values during the bonus game until the player reaches a win-group outcome or a termination outcome.

In another alternative embodiment, the present invention does not
15 include a termination outcome associated with any of the selectable symbols in the selection groups. In this embodiment, the bonus game terminates when a predetermined termination condition occurs. The termination condition can be the player having made a predetermined number of selections or the player
20 having received a predetermined bonus value amount. In this embodiment, the termination condition can apply to individual selection groups or to the entire bonus game. For example, the gaming device may terminate the bonus game if the player does not advance to a new selection group after making one selection in any single group.

In another alternative embodiment of the present invention, the win-group outcome is associated with a plurality of bonus values in a group but not all of the bonus values in that group. For example, in a selection group with six selectable symbols, four symbols in the group are each associated with a bonus value, one symbol is associated with a win-group outcome and one symbol is associated with a termination outcome. When a player selects the symbol associated with the win-group outcome, the player receives only two of the four bonus values in this selection group. Then the player advances to a different selection group to continue playing the bonus game.

The gaming device of the present invention accordingly provides a bonus game which enables a player to select symbols from a plurality of selection groups. In one embodiment, depending upon which symbol the player selects, the player may reach a bonus value outcome, a win-group outcome or a termination outcome which is associated with the selected symbols. If the player reaches a win-group outcome, the player wins all of the bonus value outcomes associated with all of the symbols in the selected symbol's group. Then the player advances to a different selection group and the process repeats itself. If the player advances beyond the final selection group without reaching a termination outcome, the player receives a predetermined achievement bonus value.

While the present invention has been described in connection with what is presently considered to be the most practical and preferred embodiments, it is to be understood that the invention is not limited to the disclosed embodiment, but on the contrary is intended to cover various modifications and

equivalent arrangements included within the spirit and scope of the claim. It is thus to be understood that modifications and variations in the present invention may be made without departing from the novel aspects of this invention as defined in the claims and that this application is to be limited only by the scope

5 of the claims.